

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	63	(first and second) near3 (enumeration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:17
S2	30	S1 and usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 09:19
S3	2	"6101557".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:04
S4	2	"6647434".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:01
S5	5985	(peripheral I?O) with ((conceal \$4 hid\$3 veil\$4 block) with (function\$4 capabilit\$4 resource))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:42
S6	675	(peripheral I?O) with ((conceal \$4 hid\$3 veil\$4 block) with (function\$4 capabilit\$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:09
S7	2	"5734847".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:04
S8	98	S6 and usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:07
S9	23045095	((@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:12
S10	510	S6 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:44

S11	23	((peripheral I?O) with ((conceal \$4 hid\$3 veil\$4) with (function \$4 capabilit\$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:12
S12	20	S9 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:10
S13	0	((peripheral I?O) with ((surpress) with (function\$4 capabilit\$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:13
S14	11	((peripheral I?O) with ((suppress) with (function\$4 capabilit\$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:15
S15	15393	((peripheral I?O) with ((function \$4 capabilit\$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:16
S16	200	((peripheral I?O) with ((remov \$4) with (function\$4 capabilit\$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:17
S17	144	S9 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:17
S18	57	((peripheral I?O) with ((remove removing) with (function\$4 capabilit\$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:18
S19	134	((host with (i?o near3 processor) with peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:38
S20	5	((host with (i?o near3 processor) with peripheral) same scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:43
S21	134	((host with (i?o near3 processor) with peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:43

S22	113	S9 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:45
S23	63	(first and (subsequet second)) near3 (enumeration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:42
S24	65362	(first and (subsequet second)) near3 (configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:42
S25	2	S24 and (peripheral I?O) with ((conceal\$4 hid\$3 veil\$4) with (function\$4 capabilit\$4 resource))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:45
S26	1202	(peripheral I?O) with ((list\$4 specify\$4) with (function\$4 capabilit\$4 resource))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:46
S27	170	(peripheral I?O) with ((list\$4 specify\$4) with (function\$4 capabilit\$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:47
S28	127	S9 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:47
S29	70	((private secret hidden) near3 (function resource capability) with (peripheral I/O)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:00
S30	4	((private secret hidden) near3 (function resource capability) with (peripheral I/O) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 14:36
S31	30	((private secret hidden) near3 (attribute configuration)) with (peripheral i?o)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:18
S32	33	((private secret hidden hide conceal withhold) near3 (attribute configuration)) with (peripheral i?o)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:01

S33	11245	{(peripheral i/o device apparatus) with (enumerat\$4 list specify) with (function ability capability resource)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:35
S34	138	{(peripheral i/o device apparatus) with (enumerat\$4 list \$3 specify\$4) with (function ability capability resource) with (private hidden hide unsupported disabled)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:35
S35	68	S9 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:03
S36	243	{usb with (peripheral I?O) with (enumerat\$4 configur\$4) with (host computer)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:05
S37	147	S36 and (@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:06
S38	43	{usb with (peripheral I?O) with (enumerat\$4) with (host computer)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:05
S39	44	{usb with (peripheral I?O) with (enumerat\$4 configur\$5) with (function resource ability capability) with (host computer)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:05
S40	36	S39 and (@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:42
S41	2633	{(peripheral i?o) with (((multiple plural plurality) with (function ability capability) multi? function)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:40
S42	2633	{(peripheral i?o) with (((multiple plural plurality) with (function ability capability))) multi? function)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:41
S43	2360	{(peripheral i?o) with (((multiple plural plurality) near3 (function ability capability))) multi? function)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:41

S44	43	S43 and ((mask\$4 hid\$4 hidden private) near3 (function ability capability))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:42
S45	39	S44 and (@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:45
S46	31	(peripheral i?o) with enumerat\$4 with (function capability ability) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:51
S47	168	(usb with (smartcard))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:10
S48	0	(usb with (smartcard) with (enumerat4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:10
S49	0	(usb with (smartcard) with (enumerat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:10
S50	8	(usb with (smartcard) and (enumerat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:12
S51	66	S47 and (@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:34
S52	48	usb with (simulat\$4 emulat\$4 soft\$4) with (disconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:19
S53	28	S52 and (@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:34
S54	0	"6754725".pn. and conceal\$4	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/10/15 14:12

S55	1	"20020178316".did. and conceal \$4	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/10/15 14:13
S56	2	"20040230734".did.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/04/11 23:48
S57	317	(first and second) with (enumeration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 15:46
S58	86	(first and second) near3 (enumeration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 15:46
S59	45	S58 and (@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 15:47
S60	35102	(host cpu master computer) with (enumerat\$4 messag\$4 configur\$4) with (capability ability function feature resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 15:54
S61	767	(host cpu master computer) with (enumerat\$4 messag\$4 configur\$4) with (capability ability function feature resource) with (peripheral auxiliary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 15:55
S62	50	(host cpu master computer) near3 (enumerat\$4 messag\$4 configur\$4) near3 (capability ability function feature resource) near3 (peripheral auxiliary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 15:56
S63	143	(host cpu master computer) near5 (enumerat\$4 messag\$4 configur\$4) near5 (capability ability function feature resource) near5 (peripheral auxiliary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 15:56
S64	91	S63 and (@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 15:57

5/ 11/ 2008 9:17:50 PM

C:\Documents and Settings\Esorrell\My Documents\EAST\Workspaces\10521084-2.wsp